

## **Coadd™ DF-8920**

Defoaming Agent

### **DESCRIPTION**

**Coadd™ DF-8920** is a high-efficiency polymer-based defoamer suitable for UV and solvent-free systems. This defoamer exhibits excellent compatibility with minimal impact on transparency and delivers outstanding bubble suppression and defoaming performance. It accelerates foam elimination both in-can and on the coating film surface, while also providing excellent surface leveling without affecting interlayer adhesion.

### **PHYSICAL PROPERTIES**

Appearance	Colorless to light yellow liquid
Density (g/ml)	0.95
Active content (%)	100
Viscosity (25°C, mPas)	<5000

Note: These properties are only typical, and do not represent product specifications

### **APPLICATION CHARACTERISTIC AND ADVANTAGES**

**Coadd™ DF-8920** is particularly suitable for UV systems and solvent-free systems. It offers excellent compatibility without compromising transparency. It is also suitable for use in solvent-based systems.

Recommended dosage (Based on total formulation): 0.1 – 0.5%

The above dosage is only for orientation, optimum level of dosage should be determined via laboratory tests.

### **SAFETY NOTICE**

Before using the products, please refer to SDS for detailed safety data, handling and storage procedures recommended.

### **DISCLAIMER**

It is common proposal for product usage and demand above information based on our professional knowledge. Due to environmental uncertainty and out of our control from practical process, please test and make evaluation ahead of use to ensure efficient and safe. For your reference, the above information is only for commonly known and use the product. It is guaranteed to meet quality and product specification.

**\*\*Please refer to SDS for more information**