

Coadd™ FR-6355

Corrosion Inhibitor

DESCRIPTION

Coadd™ FR-6355 is a corrosion inhibitor for aqueous coating systems. It is very good compatible with different water-borne resin systems and help film forming. Effective in suppressing flash-rust and improve salt spraying resistance performance of coating film.

PHYSICAL PROPERTIES

Form	Light Yellow liquid
Density (g/ml)	1.1
Active content (%)	45
pH	7.5-9.5
Viscosity(25℃,mPa.s)	<300
Solvent	Water

Note: These properties are only typical, and do not represent product specifications

APPLICATION CHARACTERISTIC AND ADVANTAGES

Coadd™ FR-6355 is recommended for all kinds of water-borne coating systems with corrosion inhibition improving requirements. Especially in general industrial coatings for metal surface with high performance.

Suggested dosage base on the total formulation:0.3–1.2%. Optimal levels are determined through laboratory tests.

Maybe hazy after long term storage, it is not any effect on the performance, stir well before use. Shelf life is 2 years from the date of manufacture.

SAFETY NOTICE

Before using the products, please refer to SDS for detailed safety data, handling and storage procedures recommended.

DISCLAIMER

It is common proposal for product usage and demand above information based on our professional knowledge. Due to environmental uncertainty and out of our control from practical process, please test and make evaluation ahead of use to ensure efficient and

safe. For your reference, the above information is only for commonly known and use the product. It is guaranteed to meet quality and product specification.

****Please refer to SDS for more information**